Jefferson County Building Department 445 West Palmer Mill Road Monticello, FL 32344

850-342-0223 FAX: 850-342-0225



Mobile Home Permit Packet

Please read, complete, and submit all required documents.

INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED

MOBILE HOME PERMITTING

STEP 1:	1. 911 STREET ADDRESS – Obtain your 911 address. This serves as your mailing address.
	*Note – the street address must be posted on the property before the first inspection.
PLANNING DEPARTMENT	2. DRIVEWAY PERMIT – A driveway permit is required for turning off a County Road onto
	your property. This permit is applied for at the Planning Department and must be
	obtained prior to locating the mobile home on the property.
	3. SITE PLAN – You must provide a site plan showing the location of the mobile home on
	the property & distance from property lines.
	4. PROOF OF OWNERSHIP - (Deed) A copy of your deed can be printed off the property
	appraiser's website, <u>www.jeffersonpa.net</u> If you are not the current owner please
	provide an original notarized letter of authorization signed by the owner giving you
	permission to place the mobile home on their property.
	5. <u>Development Permit</u> will be issued after review.
Step 2:	1. Development Permit – Take your development permit to the Health Department and
	obtain a New Septic Tank Application.
HEALTH DEPARTMENT	
STEP 3	1. COMPLIANCE STATEMENT - You must bring the septic tank permit approval/letter
	with you to the Building Department to get a mobile home permit.
BUILDING DEPARTMENT	2. SET UP CONTRACTOR You must provide the Building Department with the name and
	license number of the State licensed mobile home contractor that will be setting up the
	home. A homeowner cannot set-up a mobile home. TWO SET-UP MANUALS MUST
	ACCOMPANY THE APPLICATION. APPLICATION WILL NOT BE REVIEWED WITHOUT
	THEM.
	3. <u>ELECTRICAL CONTRACTOR</u> – If you hire an Electrical Contractor, they must be State
	Certified, or be State Registered and licensed in Jefferson County. The homeowner may
	perform the electrical work as owner contractor if they sign a disclosure statement
	during permitting.
	4. AIR CONDITIONING / MECHANICAL - If you hire a Mechanical/Air Conditioning
	Contractor, they must be State Certified, or be State Registered and licensed in Jefferson
	County. The homeowner may perform the mechanical work as owner contractor if they
	sign a disclosure statement during permitting.
	NOTE: ELECTRICAL AND MECHANICAL PERMITS CAN NOT BE ISSUED TO THE OWNER IF
	PLANNING TO RENT OR SELL.

FEES

PLANNING DEPARTMENT		
Mobile Home Development Permit:	\$100.00	
Impact Fees for Fire & Rescue/Emergency Medical:	\$110.02	
911 Address-New Locations:	\$30.00	
Driveway Inspections Permit:	\$53.00	

BUILDING DEPARTMENT		
Mobile Home Permit	\$350.00	
Electrical Permit	\$80.00	
Mechanical Permit	\$90.00	

PERMITTING INFORMATION

To complete the permitting process the following information will be required by the Building Department. SEPTIC TANK PERMIT NUMBER: _____ Age of Home _____ MANUFACTURER OF HOME: _____ Utility Company_____ DIMENSIONS OF HOME: _____ NAME OF HOMEOWNER: MAILING ADDRESS: PROJECT LOCATION: EMAIL: PHONE NUMBER: NAME OF SET UP CONTRACTOR: _____ BUSINESS NAME: _____ ADDRESS: LICENSE NUMBER: EMAIL ADDRESS: PHONE NUMBER: GL

WC

STATE LICENSE ELECTRICAL CONTRACTOR: BUSINESS NAME: _____ ADDRESS: LICENSE NUMBER: EMAIL ADDRESS: PHONE NUMBER: GL

WC

STATE LICENSE MECHANICAL CONTRACTOR: BUSINESS NAME: ADDRESS: LICENSE NUMBER: EMAIL ADDRESS: PHONE NUMBER: GL □ WC □ STATE LICENSE □ PRESENT LOCATION OF USED HOME (address or parcel no.) SET UP FORM AND 2 COPIES OF SET-UP MANUALS (REQUIRED) **BLOCKING DIAGRAM** FOR NEW HOMES, A MANUFACTURER'S MODEL SPECIFIC BLOCKING DIAGRAM MUST BE **PROVIDED** DISCLOSURE STATEMENT (if owner is doing electrical work) LETTER ESTABLISHING THE BENCHMARK (if home is in Flood Zone) SITE PLAN DEVELOPMENT PERMIT WARRANTY DEED DECAL(s) SEPTIC APPROVAL

HUD PICTURES(s) or DATA SHEET

П


PERMIT APPLICATION MANUFACTURED HOME INSTALLATION

ApplicantAddress Manufacture's Name Width	License #		
Manufacture's Name	Installatio		
Manufacture's Name		n Decal #	
	Wind Zone	New Home	Used Home
Number of Sections Width	 Length	Year	
Serial #			
Installation standard used: (check one) manu		manual	Rule 15C-1
SITE DREDADATION:			
<u>SITE PREPARATION:</u> Site Graded and fill dirt compacted to 90%	- or-		Page
Drain tile and sump pump to be installed			Page
Describe any other site prep method to be use			Page
Organic material removed			Page
Site graded or prepared for adequate drainag			Page
A Vapor Barrier is required for new and used			Page
I understand that a poorly prepared site can		ows to bind,	<u> </u>
Mold and mildew to form in the home. Insta			
FOUNDATION:			
Load bearing soil capacity (past) or	assumed 1000 past		Page
Footing type: plastic pad, 16 >			. 484
poured footer			Page
I-beam piers: O/C spacings F	oundation pad size		Page
Perimeter piers: locations			Page
Centerline pier locations			Page
Centerline piers: Number	Footer sizes		-
			Page
Special pier blocking: fireplace, bay windows	, tubs, shear walls, etc	., Yes No	Page
TIE-DOWNS:			
	ed 5 ft. anchors		Page
I understand a torque probe test can only be		ed installer.	<u> </u>
Installer's initial5 ft5 ft			Page
Anchor type: 4 π 5 π Number of frame ties: Spacing	Angle of strap	degrees	Page
Number of vertical ties:			
Number of centerline anchors			
Longitudinal straps/anchors or lo	ngitudinal stabilizing d	levices	Page
Manufacturer of longitudinal stabilizing device	ces		Page
Manufacturer of lateral arm systems (if used			
A State approved lateral arm system is being	used and the installer	will follow both th	e Home's installation

CLOSE UP:

mildew, and	buckled mar		ent of all new and used home f a poorly installed or no gaske	
Installer's in	itials	Type gasket		
Fasteners ar	e required to	secure multi-sections of ho	mes together (roof, sidewalls,	floor)
Fasteners:	Roofs	, ·		
	Enwalls Floors	Type and size Type and size		Page Page
	lers are not a		e home this includes the bond power to the home. Access p	
existing sew Connect the	er tap or sept potable wate		•	Page
Weatherpro		omplete weather sealing of	the home.	
Bottom boa	=	ompiete weather seaming or	and morner	Page
Vinyl siding	•			Page
Soffit and fa				Page
		one that applies		Dana
Rule 15C-1 _			– ranized metal strip centered o center on both sides of the ce	
Chimney: Install extra	length flue pi	pe, install, and seal storm co	ollar, chimney cap	Page
Home skirte	<u>·d:</u>			
		ARE REQUIRED TO BE SKIRT	ED.	
•	uare foot for o ilated skirted		ggested with vapor barrier) _ _	

Blocking Plan	typical single wide blocking plan
Manufacturer	
Length x width	



Longitudinal Stabilizing Devices

pier spacing Pocket Penetrometer test results	Pocket Penetrometer Test Test the perimeter of the home at 6 locations. Take the reading at the depth of the footer. Using 500lb increments, take the lowest reading and round down to that increment.
Anchor Length -beam pier pad size	
Perimeter pier pad size	
Other information	


Lateral Arm

Blocking Plan	typical double wi	de blocking plan	ļ	
Length x width Manufacturer			Longitudinal Stabilizing l	– Devices
			l t	Marriage Wall the location of these piers will
				vary with each floor plan.
2' pier spacing		Pocket Penetro Test the perimeter of the Take the reading at the Using 500lb increments, ta and round down to	home at 6 locations. depth of the footer. ake the lowest reading	
Soil Bearing Soil torque probe test results Anchor Length I-beam pier pad size Perimeter pier pad size Marriage wall pier pad sizes — out		the centerline and show siz	es below	
125	3 6	3		

Other information

MOBILE HOME SITE PREPARATION

NEW HOME



- 1. Grade site so that there is a minimum 1/2 inch per foot slope from the middle of the home to a distance not less than 10 feet from the outside edge of the home.
- 2. All fill must be compacted to at least 90% of its maximum relative density.
- 3. All organic material such as grass, roots, twigs, and wood scraps must be removed in areas where the footings are to be placed.
- 4. All new and used homes require a vapor barrier (minimum 6-mil).

FOUNDATION MOUND HEIGHT

Home Width	Mound Height
12 – feet	8 – inches
14 – feet	8.5 – inches
16 – feet	9 - inches

Home Width	Mound Height
24 – feet	11 – inches
28 – feet	12 - inches
32 – feet	13 - inches

USED HOME

USED HOMES REQUIRE VAPOR BARRIER, 6 MIL MINIMUM AND FULL SKIRTING.

ACKNOWLEDGEMENTS

(TO BE SIGNED BY THE PROPERTY OWNER)

DEED RESTRICTIONS AND COVENANTS

Applicants should be aware that Deed Restrictions or Covenants are a private civil issue. *They are not enforced or reviewed by the county.* Prior to pursuing a building permit, applicants should be aware of any such restrictions that may apply to their property.

ACKNOWLEDGED

BY:	DATE:		
ACCES	S TO PROPERTY		
By submitting this application, I am providi inspect, at reasonable times, the property compliance with applicable codes as specific requires entry into a private residence, no	and work required under any permit issue led by Jefferson County. Unless the inspe	ed, for	
ACKNOWLEDGED			
BY:	DATE:		
STATE OF			
COUNTY OF			
The foregoing was singed before me thisby			
PERSONALLY KNOWN: PRESENTED IDENTIFICATION: IDENTIFICATION PROVIDED:			
Notary Public	(Seal)		

REQUIRED INSPECTIONS NEW AND USED HOMES

Pre-set PAD inspection required.

Mobile Home Pre-Final:

Vapor Barrier (6 mil minimum)

Electric Rough

Mechanical Rough

Plumbing Rough

Gas Rough (if applicable)

Set up

Tie Downs (anchoring)

Bonding of Mobile Home

Home address shall be posted on house or mailbox

Electrical Service Release will be issued for 30 days to allow for final inspection. If no final inspection is completed within 30 days power will be suspended and meter will be pulled.

Mobile Home Final:

Steps/Stairs

Skirting

Final Walkthrough of Mobile Home

Final All Trades

Septic Final Approval must be received from the Health Department

Environmental:

Stabilization 10' Around House

(Installer Signature) REQUIRED

*To request an inspection please Email us at kphillips@jeffersoncountyfl.gov

If you cannot email, please call, and speak with Kathy Phillips at 850-342-0223. *

NOTICE

ALL INSPECTIONS REQUIRE A 24 HOUR NOTICE.

THERE ARE NO INSPECTIONS ON FRIDAY.

IF YOU CALL IN AN INSPECTION ON THURSDAY, YOUR INSPECTION WILL BE SCHEDULED FOR THE FOLLOWING MONDAY.

PLEASE BE SURE ALL WORK IS COMPLETED BEFORE CALLING FOR AN INSPECTION.

A REINSPECTION FEE OF \$75.00 WILL BE CHARGED FOR THE 3RD AND SUBSEQUENT RETURN OF SAME INSPECTION.

**90 days after final inspection and power is connected <u>decks without a roof</u> can be added as part of the building permit. **

Check List for Mobile Homes

A completed permit application

Copy of State License

Certificate of Workman's Comp

Certificate of Liability Insurance with the Certificate holder being:

Jefferson County BOCC 445 West Palmer Mill Road Monticello, FL 32344

Should you retain an agent or send an employee to obtain your permit an original notarized authorization form must be submitted with every application.



Jefferson County Building Department 445 W Palmer Mill Road Monticello, FL 32344 Phone (850) 342-0223 Fax (850) 342-0225

AUTHORIZED AGENT PERMIT FORM

This form is to authorize the below name projects under license number	ed person(s) to apply for and obtain buildin	g permits, as well as complete
Company Name		
► This authorization is for one tire	me use at the following address:	
► This authorization is for all per	mits at any location.	
Authorized Agent	Authorized Agent	
Authorized Agent	Authorized Agent	
THIS AUTHORIZATION WILL BE EFFECTIVI CONTRACTOR.	E UNTIL WHICH TIME IT IS WITHDRAWN IN	WRITING BY THE LICENSED
License Holder	Date Signed	
STATE OFCOUNTY OF		
by	dged before me this day of , who is personally known to me, or who ification and who did (did not) take an oath	has produced
	Signature of Notary/Deput	y Clerk
	Type or Print Name	