Jefferson County Building Department 445 West Palmer Mill Road Monticello, FL 32344 850-342-0223 FAX: 850-342-0225



Mobile Home Permit Packet

Please read, complete, and submit all required documents.

INCOMPLETE APPLICATIONS WILL NOT BE ACCEPTED

MOBILE HOME PERMITTING

STEP 1:	1. <u>911 STREET ADDRESS</u> – Obtain your 911 address. This serves as your mailing address.
	*Note – the street address must be posted on the property before the first inspection.
PLANNING DEPARTMENT	2. DRIVEWAY PERMIT – A driveway permit is required for turning off a County Road onto
	your property. This permit is applied for at the Planning Department and must be
	obtained prior to locating the mobile home on the property.
	3. SITE PLAN – You must provide a site plan showing the location of the mobile home on
	the property & distance from property lines.
	4. PROOF OF OWNERSHIP - (Deed) A copy of your deed can be printed off the property
	appraiser's website, <u>www.jeffersonpa.net</u> If you are not the current owner please
	provide an original notarized letter of authorization signed by the owner giving you
	permission to place the mobile home on their property.
	5. Development Permit will be issued after review.
Step 2:	1. Development Permit – Take your development permit to the Health Department and
	obtain a New Septic Tank Application.
HEALTH DEPARTMENT	
STEP 3	1. COMPLIANCE STATEMENT - You must bring the septic tank permit approval/letter
	with you to the Building Department to get a mobile home permit.
BUILDING DEPARTMENT	2. SET UP CONTRACTOR You must provide the Building Department with the name and
	license number of the State licensed mobile home contractor that will be setting up the
	home. <u>A homeowner cannot set-up a mobile home. TWO SET-UP MANUALS MUST</u>
	ACCOMPANY THE APPLICATION. APPLICATION WILL NOT BE REVIEWED WITHOUT
	THEM.
	3. ELECTRICAL CONTRACTOR – If you hire an Electrical Contractor, they must be State
	Certified, or be State Registered and licensed in Jefferson County. The homeowner may
	perform the electrical work as owner contractor if they sign a disclosure statement
	during permitting.
	4. AIR CONDITIONING / MECHANICAL - If you hire a Mechanical/Air Conditioning
	Contractor, they must be State Certified, or be State Registered and licensed in Jefferson
	County. The homeowner may perform the mechanical work as owner contractor if they
	sign a disclosure statement during permitting.
	NOTE: ELECTRICAL AND MECHANICAL PERMITS CAN NOT BE ISSUED TO THE OWNER IF
	PLANNING TO RENT OR SELL.

FEES

PLANNING DEPARTMENT	
Mobile Home Development Permit:	\$100.00
Impact Fees for Fire & Rescue/Emergency Medical:	\$110.02
911 Address-New Locations:	\$30.00
Driveway Inspections Permit:	\$53.00

BUILDING DEPARTMENT		
Mobile Home Permit	\$350.00	
Electrical Permit	\$80.00	
Mechanical Permit	\$90.00	

PERMITTING INFORMATION

To complete the permitting process the following information will be required by the Building Department.

SEPTIC TANK PERMIT NUMBER: _____

MANUFACTURER OF HOME: _____

Age of Home _____

Utility Company_____

DIMENSIONS OF HOME: _____

IAME OF HOMEOWNER:
/IAILING ADDRESS:
PROJECT LOCATION:
MAIL:
PHONE NUMBER:

NAME OF SET UP CONTRACTOR:		
BUSINESS NAME:		
ADDRESS:		
LICENSE NUMBER:		
EMAIL ADDRESS:		
PHONE NUMBER:		
GL 🗆 WC 🗆 STATE LICENSE 🗆		

ELECTRICAL CONTRACTOR:
BUSINESS NAME:
ADDRESS:
LICENSE NUMBER:
EMAIL ADDRESS:
PHONE NUMBER:
GL D WC D STATE LICENSE D

MECHANICAL CONTRACTOR:
BUSINESS NAME:
ADDRESS:
LICENSE NUMBER:
EMAIL ADDRESS:
PHONE NUMBER:
GL 🗆 WC 🗆 STATE LICENSE 🗆
PRESENT LOCATION OF USED

HOME (address or parcel no.) _____

SET UP FORM AND **2 COPIES OF SET-UP MANUALS (REQUIRED)**

□ BLOCKING DIAGRAM

FOR NEW HOMES, A MANUFACTURER'S MODEL SPECIFIC BLOCKING DIAGRAM MUST BE PROVIDED

- DISCLOSURE STATEMENT (if owner is doing electrical work)
- LETTER ESTABLISHING THE BENCHMARK (if home is in Flood Zone)
- □ SITE PLAN
- DEVELOPMENT PERMIT
- U WARRANTY DEED
- □ Decal(s)

PERMIT APPLICATION MANUFACTURED HOME INSTALLATION

Permit #			
Applicant	Name of Licensed Insta	ller	
Address License #			
	Installation Dec	cal #	
Manufacture's Name	Wind Zone	New Home	Used Home
Number of Sections Width	Length Yea		0000
Serial #			
Installation standard used: (check one) m		ual Rule	15C-1
SITE PREPARATION:			
Site Graded and fill dirt compacted to 909	% - or-	Р	age
Drain tile and sump pump to be installed			age
Describe any other site prep method to b		P	age
Organic material removed			age
Site graded or prepared for adequate dra			age
A Vapor Barrier is required for new and u			age
I understand that a poorly prepared site of		o bind,	·
Mold and mildew to form in the home. In			
FOUNDATION:			
Load bearing soil capacity (past)	or assumed 1000 past	Р	age
Footing type: plastic pad,			· · · · · · · · · · · · · · · · · · ·
poured footer			age
I-beam piers: O/C spacings	Foundation pad size	Р	age
Perimeter piers: locations			age
Centerline pier locations		 P	age
Centerline piers: Number	Footer sizes		
			age
Special pier blocking: fireplace, bay windo	ows, tubs, shear walls, etc., Yes		age
TIE-DOWNS:			
Torque probe reading Dec	lared 5 ft. anchors	Р	age
I understand a torque probe test can only			
	• •		
Installer's initial 5 ft 5 ft		Р	age
Number of frame ties: Spacing	g Angle of strap	degrees P	age
Number of vertical ties:	·		
Number of centerline anchors			
Longitudinal straps/anchors o		es P	age
Manufacturer of longitudinal stabilizing d			
Manufacturer of lateral arm systems (if u			
A State approved lateral arm system is be			
the lateral arm manufacturer's installatio			
torque test reading is 275 or less and whe			-
capacity. Installer's initials			

CLOSE UP:

Gasket:

I understand a properly installed gasket is a requirement of all new and used homes and condensation, mold,			
mildew, and buckled marriage walls can be a result of a poorly installed or no gasket being installed. I			
understand a strip of tape v	vill not serve as a gasket.	Page	
Installer's initials	Type gasket		

Fasteners are required to secure multi-sections of homes together (roof, sidewalls, floor)

Fasteners:	Roofs	Type and size	Spacing	Page
	Enwalls	Type and size	Spacing	Page
	Floors	Type and size	Spacing	Page

Electrical:

Connect electrical conductors between sections of the home this includes the bonding P	'age
Wire. Installers are not allowed to connect electrical power to the home. Access panels	
Are to be installed.	

Plumbing:


Connect the potable water supply to an existing water meter, water tap or other Independent water system. Access panels are to be installed. Page	Using the manufacturer supplied drain line drawing connect all sewer drains to an existing sewer tap or septic tank.	Page
Independent water system. Access panels are to be installed. Page Weatherproofing: Rule 15C-2 requires the complete weather sealing of the home. Bottom board repair Page Vinyl siding Page Soffit and facia Page Roof close up: Check the one that applies Page Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page		rage
Weatherproofing: Rule 15C-2 requires the complete weather sealing of the home. Bottom board repair Page Vinyl siding Page Soffit and facia Page Roof close up: Check the one that applies Page Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page		Deser
Rule 15C-2 requires the complete weather sealing of the home. Page Bottom board repair Page Vinyl siding Page Soffit and facia Page Roof close up: Check the one that applies Page Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over Page The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Independent water system. Access panels are to be installed.	Page
Bottom board repair Page Vinyl siding Page Soffit and facia Page Roof close up: Check the one that applies Page Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over Page The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Weatherproofing:	
Vinyl siding Page Soffit and facia Page Roof close up: Check the one that applies Page Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over Page The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Rule 15C-2 requires the complete weather sealing of the home.	
Soffit and facia Page Roof close up: Check the one that applies Page Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over Page The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Bottom board repair	Page
Roof close up: Check the one that applies Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap	Vinyl siding	Page
Manufacturer's installation manual Page Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Soffit and facia	Page
Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Roof close up: Check the one that applies	
The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerline. Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Manufacturer's installation manual	Page
Chimney: Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Rule 15C-1 30 gauge, 8" wide, galvanized metal strip centered over	
Install extra length flue pipe, install, and seal storm collar, chimney cap Page	The peak and fasten with galv. Roofing nails at 2" on center on both sides of the centerli	ne.
Install extra length flue pipe, install, and seal storm collar, chimney cap Page	Chimney:	
Home skirted.	•	Page
Home skirted:		
	Home skirted:	
NEW AND USED HOMES ARE REQUIRED TO BE SKIRTED.	NEW AND USED HOMES ARE REQUIRED TO BE SKIRTED.	

1 square foot for every 300 sq. ft. of home (suggested with vapor barrier) _____ Ventilated skirted _____


Blocking	Plan	
----------	------	--

typical single wide blocking plan

Manufacturer _	
Length x width	




Longitudinal Stabilizing Devices



			Designate location of all lateral a stabilizing devices on the	
<u>Blocking Plan</u>	typical double wi	de blocking plan	Lateral Arm	L
Length x width Manufacturer			Longitudinal Stabilizing	– Devices
				ε · π7.11
			· + f	Marriage Wall the location of these piers will
				vary with each floor plan.
\leftrightarrow		Pocket Per	netrometer Test]
2' pier spacing		Take the reading at Using 500lb incremen	f the home at 6 locations. t the depth of the footer. its, take the lowest reading n to that increment.	
Soil Bearing Soil torque probe test results				1
Anchor Length				
I-beam pier pad size				
Perimeter pier pad size		+h =t =t =t =t		
Marriage wall pier pad sizes – out				
1 2 4 5	5 6	, 5		
Other information				

MOBILE HOME SITE PREPARATION

NEW HOME



1. Grade site so that there is a minimum 1/2 inch per foot slope from the middle of the home to a distance not less than 10 feet from the outside edge of the home.

2. All fill must be compacted to at least 90% of its maximum relative density.

3. All organic material such as grass, roots, twigs, and wood scraps must be removed in areas where the footings are to be placed.

4. All new and used homes require a vapor barrier (minimum 6-mil).

FOUNDATION MOUND HEIGHT

Home Width	Mound Height	Home Width	Mound Height
12 - feet	8 – inches	24 – feet	11 – inches
14 – feet	8.5 – inches	28 – feet	12 - inches
16 - feet	9 - inches	32 - feet	13 - inches

USED HOME

The area beneath and around the home shall be graded, sloped, or properly drained so that water will not accumulate under the home. Vegetation and organic materials must be removed. USED HOMES REQUIRE VAPOR BARRIER, 6 MIL MINIMUM AND FULL SKIRTING.

ACKNOWLEDGEMENTS

(TO BE SIGNED BY THE PROPERTY OWNER)

DEED RESTRICTIONS AND COVENANTS

Applicants should be aware that Deed Restrictions or Covenants are a private civil issue. *They are not enforced or reviewed by the county.* Prior to pursuing a building permit, applicants should be aware of any such restrictions that may apply to their property.

P	v	•
D	I	•

DATE:_____

ACCESS TO PROPERTY

By submitting this application, I am providing permission for Jefferson County personnel to inspect, at reasonable times, the property and work required under any permit issued, for compliance with applicable codes as specified by Jefferson County. Unless the inspection requires entry into a private residence, no further permission will be required.

ACKNOWLEDGED)
--------------	---

BY:	DATE:		
STATE OF			
COUNTY OF			
The foregoing was singed before me this by		20	
PERSONALLY KNOWN: PRESENTED IDENTIFICATION: IDENTIFICATION PROVIDED:			
Notary Public	(Seal)		

REQUIRED INSPECTIONS NEW AND USED HOMES

Pre pad set-up inspection required.

Mobile Home Pre-Final: Vapor Barrier (6 mil minimum) Electric Rough Mechanical Rough Plumbing Rough Gas Rough (if applicable) Set up Tie Downs (anchoring) Bonding of Mobile Home Home address shall be posted on house or mailbox Electrical Service Release will be issued for 30 days to allow for final inspection. If no final inspection is completed within 30 days power will be suspended and meter will be pulled.

Mobile Home Final:

Steps/Stairs Skirting Final Walkthrough of Mobile Home Final All Trades Septic Final Approval must be received from the Health Department

Environmental:

Stabilization 10' Around House

(Installer Signature) REQUIRED

*To request an inspection please Email us at kphillips@jeffersoncountyfl.gov

If you cannot email, please call, and speak with Kathy Phillips at 850-342-0223. *

NOTICE

ALL INSPECTIONS REQUIRE A 24 HOUR NOTICE.

THERE ARE NO INSPECTIONS ON FRIDAY.

IF YOU CALL IN AN INSPECTION ON THURSDAY, YOUR INSPECTION WILL BE SCHEDULED FOR THE FOLLOWING MONDAY.

PLEASE BE SURE ALL WORK IS COMPLETED BEFORE CALLING FOR AN INSPECTION.

A REINSPECTION FEE OF \$75.00 WILL BE CHARGED FOR THE 3RD AND SUBSEQUENT RETURN OF SAME INSPECTION.

**90 days after final inspection and power is connected <u>decks without a roof</u> can be added as part of the building permit. **

Check List for Mobile Homes

A completed permit application

Copy of State License

Certificate of Workman's Comp

Certificate of Liability Insurance with the Certificate holder being:

Jefferson County BOCC 445 West Palmer Mill Road Monticello, FL 32344

Should you retain an agent or send an employee to obtain your permit an original notarized authorization form must be submitted with every application.



Jefferson County Building Department 445 W Palmer Mill Road Monticello, FL 32344 Phone (850) 342-0223 Fax (850) 342-0225

AUTHORIZED AGENT PERMIT FORM

This form is to authorize the below name projects under license number	d person(s) to apply for and obtain building perr	nits, as well as complete
Company Name		
► This authorization is for one tin	ne use at the following address:	
► This authorization is for all perr	mits at any location.	
Authorized Agent	Authorized Agent	
Authorized Agent	Authorized Agent	
THIS AUTHORIZATION WILL BE EFFECTIVE CONTRACTOR.	UNTIL WHICH TIME IT IS WITHDRAWN IN WRIT	ING BY THE LICENSED
License Holder	Date Signed	
STATE OF COUNTY OF		
by	ged before me this day of , who is personally known to me, or who has p fication and who did (did not) take an oath.	

Signature of Notary/Deputy Clerk

Type or Print Name